

UCRTT 2010 Analysis Workshop Synthesis Report Bibliography

Arterburn, J. A., K. Kistler, and C. Fisher. 2007. Barriers to anadromous fish in the Okanogan River Basin. Prepared for: Colville Tribes Department of Fish and Wildlife, Anadromous Fish Division-Omak Office. Omak, Washington. <http://nrd.colvilletribes.com/obmep/Reports.htm>

Baldwin, C and J. White. 2010. A comparison of project implementation with factors limiting VSP parameters in each subbasin. In Upper Columbia Regional Technical Team 2010 analysis workshop synthesis report. Edited by Ward, M. B., J. Morgan, and C. Baldwin. UCRTT and Terraqua.Inc. Wenatchee, WA: UCSRB, pp. 22-24

Barwin, R. and J. Monahan. 2005. Implementation Plan For The Adoption of Chapter 173 - 546 WAC, Water Resources Management Program, Entiat River Basin, Water Resource Inventory Area (WRIA) 46. Available: <http://www.ecy.wa.gov/biblio/0511019.html> (November 19, 2010)

Bohonak, A. J. 2002. IBD (Isolation By Distance): A program for analyses of isolation by distance. *Journal of Heredity* 93: 153-154.

Connolly P., K. Martens, D. Weigel, and W. Tibbits. 2010. Effectiveness of Actions in Beaver Creek. In Upper Columbia Regional Technical Team 2010 analysis workshop synthesis report. Edited by Ward, M. B., J. Morgan, and C. Baldwin. UCRTT and Terraqua.Inc. Wenatchee, WA: UCSRB, pp. 54-57

Crawford, B. 2008a. Protocol for Monitoring Effectiveness of Fish Passage Projects (Culverts, Bridges, Fishways, Logjams, Dam Removal, Debris Removal). MC-1. Washington Salmon Recovery Funding Board. January 2009. Available: http://www.rco.wa.gov/documents/monitoring/MC-1_Fish_Passage_Projects.pdf. (November 2010).

Crawford, B. 2008b. Protocol for Monitoring Effectiveness of In-Stream Habitat Projects (Channel Reconfiguration, Deflectors, Log and Rock Control Weirs, Roughened Channels, and Woody Debris Removal). MC-2. Washington Salmon Recovery Funding Board. June 2008. Available: http://www.rco.wa.gov/documents/monitoring/MC-2_Instream_Habitat_Projects.pdf. (November 2010).

Crawford, B. 2008c. Protocol for Monitoring Effectiveness of Riparian Planting Projects. MC-3. Washington Salmon Recovery Funding Board. July 2008. Available: http://www.rco.wa.gov/documents/monitoring/MC-3_Riparian_Planting_Projects.pdf. (November 2010).

Crawford, B. 2008d. Protocol for Monitoring Effectiveness of Riparian Livestock Exclusion Projects. MC-4. Washington Salmon Recovery Funding Board. July 2008. Available: http://www.rco.wa.gov/documents/monitoring/MC-4_Livestock_Exclusion_Projects.pdf. (November 2010).

Crawford, B. 2008e. Protocol for Monitoring Effectiveness of Constrained Channels (Dike Removal/Setback, Riprap Removal, Road Removal/Setback, and Landfill Removal). MC-5. Washington Salmon Recovery Funding Board. July 2008. Available: http://www.rco.wa.gov/documents/monitoring/MC-5_Constrained_Channels.pdf. (November 2010).

Crawford, B. 2008f. Protocol for Monitoring Effectiveness of Channel Connectivity, Off Channel Habitat, and Wetland Restoration Projects. MC-6. Washington Salmon Recovery Funding Board. July 2008. Available: http://www.rco.wa.gov/documents/monitoring/MC-6_Channel_Connectivity_Projects.pdf. (November 2010).

Crawford, B. 2008g. Protocol for Monitoring Effectiveness of Spawning Gravel Projects. MC-7. Washington Salmon Recovery Funding Board. July 2008. Available: http://www.rco.wa.gov/documents/monitoring/MC-7_Spawning_Gravel_Projects.pdf. (November 2010).

Crawford, B. 2008h. Protocol for Monitoring Effectiveness of Instream Diversion Projects (Irrigation Diversion Dams, Water Treatment Plants, Pipes, Ditches, Headgates, Hydropower Penstocks). MC-8. Washington Salmon Recovery Funding Board. July 2008. Available: http://www.rco.wa.gov/documents/monitoring/MC-8_Instream_Diversion_Projects.pdf. (November 2010).

Crawford, B., and J. Arnett. 2008. Protocol for Monitoring Effectiveness of Habitat Protection Projects (Land Parcel Biodiversity Health). MC-10. Washington Salmon Recovery Funding Board. July 2008. Available: http://www.rco.wa.gov/documents/monitoring/MC-10_Habitat_Protection_Projects.pdf. (November 2010).

Endangered Species Act of 1973. Pub. L. No. 101-336 §1531 87 Stat. 884 (1973). Available: <http://epw.senate.gov/esa73.pdf> (November 19, 2010).

Excoffier, L., G. Laval and S. Schneider, 2005 Arlequin (version 3.0): an integrated software package for population genetics data analysis. *Evol. Bioinform. Online* 1: 47–50.

Gross, T. and J. O'Neal. 2010. Salmon Recovery Funding Board Reach-Scale Habitat Effectiveness Monitoring Results in the Upper Columbia. In Upper Columbia Regional Technical Team 2010 analysis workshop synthesis report. Edited by Ward, M. B., J. Morgan, and C. Baldwin. UCRTT and Terraqua.Inc. Wenatchee, WA: UCSRB, pp. 46-49.

Harza 2000. Chelan County Fish Barrier Inventory. Final Report. Wenatchee Washington.

Heath, D. D., S. Pollard, and C. Herbinger. 2001. Genetic structure and relationships among steelhead trout (*Oncorhynchus mykiss*) populations in British Columbia. *Heredity* 86:618–627.

Hillman, T., M. Miller, J. Miller, M. Tonseth, T. Miller, K. Truscott, A. Murdoch. 2009. Monitoring and Evaluation of the Chelan County PUD Hatchery Programs 2008 Annual Report. Prepared for HCP Hatchery Committee. Wenatchee, WA.

Hillman, T.W. 2006. Monitoring strategy for the Upper Columbia Basin. BioAnalysts, Inc. Second draft report to the Upper Columbia Regional Technical Team, Upper Columbia Salmon Recovery Board, Wenatchee, Washington. Available: <http://www.ucsr.com/resources.asp>. (November 2010).

Inner Columbia Technical Regional Team (ICTRT). 2007. Viability criteria for application to interior Columbia Basin salmonid ESUs. Interior Columbia Basin Technical Recovery Team.
http://www.nwfsc.noaa.gov/trt/trt_documents/viability2005_july_draft.pdf.

IC-TRT. 2008. Full 2008 status assessment updates for Upper Columbia spring Chinook populations. Available: http://www.nwfsc.noaa.gov/trt/col/trt_upper_columbia_chinook_mpg.cfm (November 19, 2010).

Kalinowski ST (2005) HP-Rare: a computer program for performing rarefaction on measures of allelic diversity. *Mol Ecol Notes* 5:187–189

Kalinowski ST, AP Wagner, ML Taper (2006) ML-Relate: a computer program for maximum likelihood estimation of relatedness and relationship. *Molecular Ecology Notes* 6:576-579.

Lunn, D.J., Thomas, A., Best, N., and Spiegelhalter, D. (2000) WinBUGS -- a Bayesian modelling framework: concepts, structure, and extensibility. *Statistics and Computing*, 10:325--337.

McLean, J.E., P. Bentzen, and T.P. Quinn. 2004. Differential reproductive success of sympatric, naturally spawning hatchery and wild steelhead, *Oncorhynchus mykiss*. *Environmental Biology of Fishes* 69:359-369.

McPhee, M. V., F. Utter, J. A. Stanford, K. V. Kuzishchin, K. A. Savvaitova, D. S. Pavlov, and F. W. Allendorf. 2007. Population structure and partial anadromy in *Oncorhynchus mykiss* from Kamchatka: relevance for conservation strategies around the Pacific Rim. *Ecology of Freshwater Fish* 2007: 16: 539–547.

Miller, L.M., T. Close, and A.R. Kapuscinski. 2004. Lower fitness of hatchery and hybrid rainbow trout compared to naturalized populations in Lake Superior tributaries. *Molecular Ecology* 13: 3379-3388.

Narum, S. R., M. S. Powell, R. Evenson, B. Sharp, and A. J. Talbot. 2006. Microsatellites Reveal Population Substructure of Klickitat River Native Steelhead and Genetic Divergence from an Introduced Stock, *North American Journal of Fisheries Management* 26:147–155.

Narum, S.R., Contor, C., Talbot, A., and Powell, M. 2004. Genetic divergence of sympatric resident and anadromous forms of *Oncorhynchus mykiss* in the Walla Walla River and Columbia River Basin, USA. *J. Fish Biol.* 65: 471–488.

Narum, S.R., Zendt, J.S., Frederiksen, C., and Sharp, W.C. 2008. Substructure of native steelhead in the Klickitat River and genetic identification of spawning populations. Pages 294-295 in R. F. Carline and C. LoSapio, editors. *Wild Trout IX: Sustaining wild trout in a changing world*. Wild Trout Symposium, Bozeman, Montana.

Nielsen, J.L., A. Byrne, S. L. Graziano, and C.C. Kozfkay. 2009. Steelhead genetic diversity at multiple spatial scales in a managed basin: Snake River, Idaho. *North American Journal of Fisheries Management* 29:680-701.

NOAA Fisheries FCRPS. 2008. Recommendations for Implementing Research, Monitoring and Evaluation for the 2008 NOAA Fisheries FCRPS Available:
<http://www.salmonrecovery.gov/Files/RM&E%20Recommendations%20Report%20w%20revised%20Appendix.pdf>

Pacific Watershed Institute (PWI) 2003. Twisp watershed assessment: restoration strategies and action plan. The Pacific Watershed Institute.

Peven, C. and K. Murdoch. 2010. Monitoring for Upper Columbia River Salmon and Steelhead Recovery - Information Gap Assessment. DRAFT Report to the Upper Columbia Salmon Recovery Board.

Polivka, Karl. 2010. Population ecology and effectiveness monitoring of small-scale instream habitat restoration structures in the Entiat River. In Upper Columbia Regional Technical Team 2010 analysis workshop synthesis report. Edited by Ward, M. B., J. Morgan, and C. Baldwin. UCRTT and Terraqua.Inc. Wenatchee, WA: UCSRB, pp. 51-54

RCO, Project Effectiveness Monitoring section (Tetra Tech EC, Inc. reports), -
http://www.rco.wa.gov/doc_pages/other_pubs.shtml#monitoring

Reiss, D., K. Gallo, L. Norris, D. Konhoff, and L. Croft. 2008. Guidance for evaluating the contribution of National Forest System lands to aquatic sustainability: A process for Region 6 Forest plan revisions.

Roni, P., K. Hanson, T. J. Beechie. 2008. Global review of the physical and biological effectiveness of stream habitat rehabilitation techniques. *North American Journal of Fisheries Management*, 28:856-890.

Roni, Phil. 2010. Effectiveness of Common Habitat Restoration Techniques: Results From Recent Reviews and Meta-Analysis. In Upper Columbia Regional Technical Team 2010 analysis workshop synthesis report. Edited by Ward, M. B., J. Morgan, and C. Baldwin. UCRTT and Terraqua.Inc. Wenatchee, WA: UCSRB, pp. 42-46.

Rousset F., and Raymond M. 1997. Statistical analysis of population genetic data: new tools, old concepts. *Trends in Ecology and Evolution* 12:313-317.

Schmidt, T. 2006. WRIA 40 Diversion screening and fish passage inventory report. Habitat Program, Technical Applications Division (TAPPS). Olympia, Washington.

Schmidt, T. and A. B. Canning 2006. WRIA 48 Fish passage and diversion screening prioritization, inventory, and habitat assessment report for seven streams in WRIA 48. Habitat Program, Technical Applications Division (TAPPS). Olympia, Washington.

Smokorowski, K.E. and Pratt, T.C. 2007. Effect of a change in physical structure and cover on fish and fish habitat – a review and meta-analysis. *Environmental Reviews*, Volume 15, Number 1, 1 March 2007, pp. 15-41(27)

Smolts per redd for spring Chinook each year for two smolt trap locations in the Methow Subbasin. Data were taken from the most recent finalized annual report (2007) - Methow subbasin 2007 annual report

Snow, C., C. Frady, A. Fowler, and A. Murdoch. 2008. Monitoring and evaluation of Wells and Methow hatchery programs in 2007. Washington Department of Fish and Wildlife, Olympia Washington.

Stephenson R. L., Melvin G. D., Power M. J. Population integrity and connectivity in Northwest Atlantic herring: a review of assumptions and evidence. *ICES Journal of Marine Science* 2009; 66:1733-1739.

Stewart, G.B., Bayliss, H.R., Showler, D.A., Sutherland, W.J. and A.S. Pullin. 2009. Effectiveness of engineered in-stream structure mitigation measures to increase salmonid abundance: a systematic review. *Ecological Applications* 19: 931-941.

Tetra Tech EC Inc. 2009 Coordinated Monitoring Program for Livestock Exclusion, web-based reporting tool. Available: http://206.127.112.131/FishPass/fishmanager_CMP.html (November 19, 2010)

UCRTT. 2008. Revised Biological Strategy: April 2008. Available: http://www.ucsrb.com/Editor/assets/upper%20columbia%20revised%20biological%20strategy%2030_apr_2008_withoutappd.pdf (November 19, 2010).

Upper Columbia Regional Technical Team. 2008. Barrier Prioritization Framework. Available: http://www.ucsrb.com/Editor/assets/barrier-prioritization-framework_rtt_10_27_08.pdf (November 19, 2010).

Upper Columbia Salmon Recovery Board (UCSRB). 2007. Upper Columbia spring Chinook salmon and steelhead recovery plan. Prepared for the Washington State Governors Salmon Recovery Office by the Upper Columbia Salmon Recovery Board. <http://www.ucsrb.com/UCSRP%20Final%209-13-2007.pdf>

US Bureau of Reclamation, Pacific Northwest Region. FCRPS: Tributary Habitat Program: Washington Subbasins. Available: <http://www.usbr.gov/pn/programs/fcrps/thp/ucao/index.html> (November 19, 2010)

Washington Department of Fish and Wildlife (WDFW) 2000. Fish passage barrier and surface water diversion screening assessment and prioritization manual. Washington Department of Fish and Wildlife. Habitat Program. Salmonid Screening, Habitat Enhancement and Restoration Section (SSHEAR) Olympia, Washington. <http://wdfw.wa.gov/hab/engineer/fishbarr.htm>

Washington Recreation and Conservation Office (RCO), Monitoring Protocols section - <http://www.rco.wa.gov/monitoring/protocols.shtml>

Weigel, D. E., J. T. Peterson, and P. Spruell. 2002. A model using phenotypic characteristics to detect introgressive hybridization in wild westslope cutthroat trout and rainbow trout. *Transactions of the American Fisheries Society* 131:389-403.2008